MFR PART NUMBER	DESCRIPTION	MSRP	EPL COST
	IIIUOOI WAII PIALE ZAZ AF WILII LWO OOZ.IITAL WAVE I (OHE Z.40HZ AHU OHE Z GHZ) TAUIOS (I.IODPS LOLAI DAHUWIULII).		
	Includes:		
	- One 802.11ac Wave 1 radio - fixed at 5 GHz operation		
	- One 802.11n radio - 2.4GHz operation		
	- Integrated 4 GigE port switch including 1 PoE out and 1 pass-through (passively supports POTS or Ethernet)		
	- One 10/100/1000 Ethernet uplink port		
	- Integrated wireless controller and internal antennas		
	- Requires XMS-Cloud or XMS-Enterprise.		
	- Requires power from 802.3af compatible switch or purchase of PoE injector		
XR-320	- Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XR-300 or MNT-SLV-XR-300 for	\$395.00	\$296.25
	Indoor 2x2 Wireless Access Point with one 802.11ac Wave 1 and one 802.11n radios (1.1 Gbps total bandwidth).		
	Includes:		
	- One 802.11ac Wave 1 radio - fixed at 5 GHz operation		
	- One 802.11n radio - 2.4GHz operation		
	- Integrated wireless controller and internal antennas		
	- One 10/100/1000 Ethernet uplink port		
	- Requires XMS-Cloud or XMS-Enterprise.		
	- Requires power from 802.3af compatible switch or purchase of PoE injector		
X2-120	- Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-X2 or MNT-SLV-X2 for support.	\$445.00	\$333.75
	Includes:		
	- Two Wave 1 radios - software defined between 5GHz / 2.4GHz operation		
	- Integrated wireless controller and internal antenna		
	- Two 10/100/1000 Ethernet uplink ports		
	- Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power		
	- Order qty 2 AOS-11AC to enable 802.11ac operation.		
	- Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XR-600 or MNT-SLV-XR-600 for		
XR-630-FIPS	support.	\$775.00	\$581.25
	Indoor 4x4 Wireless Access Point with two 802.11ac Wave 2 radios (6.9 Gbps total bandwidth).		
	Includes:		
	- Two Wave 2 radios - software defined between 5GHz / 2.4GHz operation		
	- Integrated wireless controller and internal antenna		
	- Two 10/100/1000 Ethernet uplink ports		
	- Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power		
	- Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XD2-240 or MNT-SLV-XD2-240 for		
XD2-240	support.	\$1095.00	\$821.25

Includes: One wave 2 radio - fixed at 5 GHz operation One wave 1 radio - software defined between 5 GHz /2.4GHz operation Integrated wirelss controller and internal antenna - Two 10/100/1000 Ethernet uplink ports Requires power from 802.3 at compatible switch or purchase of PoE+ injector supporting 30W or more Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-SLD-XD2-230 or MNT-SLV-XD2-230 for SUPPORT  MODO High Density 3x3 AP with four 802.11 ac Wave 1 radios (5.2 Gbps total bandwidth) Includes: - Software defined radios for 5 GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 802.31 at Compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller - One 2.5 Gigl and One 1Gigt uplinks - Includes: - One 4.44 11ac Wave 2 radios with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Integrated wireless controller - One 2.5 Gigl and One 1Gigt uplinks - Includes: - No software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - One 2.5 Gigl and One 1Gigt uplinks - Includes: - No software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - No software defined radios fo		IIIUUUI 353 VVIIEIESS ALLESS FUIIIL WILII UHE OUZ.111aL WAVE Z / UHE OUZ.111aL WAVE 1 IAUIUS (3.5 JUPS LULAI DAHUWIULII).		
- One wave 1 radio - software defined between 56Hz / 2.4GHz operation - Integrated wireless controller and internal antenna - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.34 compatible switch or purchase of PoE+ injector supporting 30W or more - Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XD2-230 or MNT-SLV-XD2-230 for support.  XD2-230  Indoor High Density 3x3 AP with four 802.11ac Wave 1 radios (5.2 Gbps total bandwidth) Includes: - Software defined radios for 5GHz /2.4GHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 802.34 compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.  XD4-130  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz /2.4GHz operation - Integrated wireless controller and internal directional antennas - One 2.5/5(gig and One 1 Gig Euplinks - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.  XD4-240  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 Gig and One 1 Gig Euplinks - Includes: - Two 50ftware defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors and fixed 5GHz operation - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.31 compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MS-		Includes:		
Integrated wireless controller and internal antenna - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.34 compatible switch or purchase of PoE+injector supporting 30W or more - Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XD2-230 or MNT-SLV-XD2-230 for support.  XD2-230  Indoor High Density 3r3 AP with four 802.11ac Wave 1 radios (5.2 Gbps total bandwidth) Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 802.34 compatible switch or PoE injector  - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty . Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.  XD4-130  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5Gigs and One 1 Gigs uplinks - Includes: - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Integrated wireless controller - One 2.5 Gigs and One 1 Gigs Uplinks - Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Nype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MS-		- One wave 2 radio - fixed at 5 GHz operation		
- Two 10/10/01000 Ethernet uplink ports - Requires power from 80.2 at compatible switch or purchase of PoE+ injector supporting 30W or more - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD2-230 or MNT-SLV-XD2-230 for Support.  XD2-230  Indoor High Density 3x3 AP with four 802.11ac Wave 1 radios (5.2 Gbps total bandwidth) Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 80.2 3at compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.  XD4-130  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5 Gig and One 1Gig uplinks - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.  XD4-240  XD4-240  XD4-240  XD4-240  XD5-25 Gig and One 1Gig uplinks - Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Integrated wireless controller - One 2.5 Gig and One 1Gig uplinks - Includes: - Now 50ftware defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - One 2.5 Gig and One 1Gig uplinks - Includes: - Now 50ftware defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 80.23 at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-		- One wave 1 radio - software defined between 5GHz / 2.4GHz operation		
- Requires power from 80.2.3at compatible switch or purchase of PGE+ injector supporting 30W or more - Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XD2-230 or MNT-SLV-XD2-230 for Support.  Indoor High Density 3x3 AP with four 802.11ac Wave 1 radios (5.2 Gbps total bandwidth) Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 80.23 at compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty . Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.  XD4-130  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireles sontroller and internal directional antennas - One 2.5/5/SigE and One 1GigE uplinks - Includes: - One 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks - Includes: - Two software defined radios for 5GHz/2.AGHz operation with 82-SMA external antenna connectors for external antennas - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks - Includes: - Two software defined radios for 5GHz/2.AGHz operation with 82-SMA external antenna connectors for external antennas - Integrated wireless controller - Two software defined radios for 5GHz/2.AGHz operation with 9 Ntype connectors for external antennas - Integrated wireless controller - Two software defined radios for 5GHz/2.AGHz operation with 9 Ntype connectors for external antennas - Integrated wireless controller - Two software defined radios for 5GHz/2.AGHz operation with 9 Ntype connectors for external antennas - Integrated wireless controller - Two software defined radios for 5GHz/2.AGHz operation with 9 Ntype connectors for external antennas - Integrated wireless controller - Two software de		- Integrated wireless controller and internal antenna		
- Requires power from 80.2.3at compatible switch or purchase of PGE+injector supporting 30W or more - Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XD2-230 or MNT-SLV-XD2-230 for support.    Indoor High Density 3x3 AP with four 802.11ac Wave 1 radios (5.2 Gbps total bandwidth) Includes:   - Software defined radios for 5GHz/2.AGHz operation   - Integrated wireless controller and internal directional antennas   - Two 10/100/1000 Ethernet uplinks   - Requires power from 80.2.3at compatible switch or PoE injector   Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty . Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.  XD4-130		- Two 10/100/1000 Ethernet uplink ports		
Indoor High Density 3x3 AP with four 802.11ac Wave 1 radios (5.2 Gbps total bandwidth) Includes:  - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 802.3at compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty . Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.  XD4-130  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5Gig and One 1Gig to Julinks  XD4-240  Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 Gig and One 1Gig Euplinks - Includes Limited Lifetime Hardware 90 day Software Product Warranty. Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  S1895.00  S1,421.25  AA4-240  Includes Limited Lifetime Hardware 90 day Software Product Warranty. Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  S2195.00  S1,646.25  Includes Limited Lifetime Hardware 90 day Software Product Warranty. Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  S2195.00  S1,646.25  Includes Limited Lifetime Hardware 90 day Software Product Warranty. Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  Integrated wireless controller - One 2.5 Gig and One 1Gig Euplinks - Includes Limited Lifetime Hardware 90 day Software Product Warranty. Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  S2195.00  S1,646.25				
Indoor High Density 3x3 AP with four 802.11ac Wave 1 radios (5.2 Gbps total bandwidth) Includes:  - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 802.3at compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty . Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.  XD4-130  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5Gig and One 1Gig to Julinks  XD4-240  Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 Gig and One 1Gig Euplinks - Includes Limited Lifetime Hardware 90 day Software Product Warranty. Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  S1895.00  S1,421.25  AA4-240  Includes Limited Lifetime Hardware 90 day Software Product Warranty. Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  S2195.00  S1,646.25  Includes Limited Lifetime Hardware 90 day Software Product Warranty. Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  S2195.00  S1,646.25  Includes Limited Lifetime Hardware 90 day Software Product Warranty. Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  Integrated wireless controller - One 2.5 Gig and One 1Gig Euplinks - Includes Limited Lifetime Hardware 90 day Software Product Warranty. Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  S2195.00  S1,646.25		- Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XD2-230 or MNT-SLV-XD2-230 for		
Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 802.3at compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day software Product Warranty . Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.  XD4-130  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - One 2.5/5GigE and One 1GigE uplinks - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks - Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3tat compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-	XD2-230		\$695.00	\$521.25
Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 802.3at compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day software Product Warranty . Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.  XD4-130  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - One 2.5/5GigE and One 16igE uplinks - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 16igE uplinks - Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.31at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-		Indeer High Density 2v2 AB with four 902 11 or Ways 1 radios (5.2 Chas total handwidth)		
- Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 802.3at compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.  XD4-130  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5GigE and One 1 GigE uplinks - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Integrated wireless controller - One 2.5 GigE and One 1 GigE uplinks  XA4-240  Includes Limited Lifetime Hardware 90 day Software Product Warranty. Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  \$2195.00  \$1,421.25  Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
- Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 802 3at compatible switch or PoE injector  XD4-130 - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty . Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5GigE and One 1GigE uplinks  XD4-240 - Includes Limited Lifetime Hardware and 90 day Software Product Warranty, Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks  XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  - Includes Limited Lifetime Hardware .  - Includes Limited Lifetime Hardware				
- Two 10/100/1000 Ethernet uplinks - Requires power from 802.3 at compatible switch or PoE injector  XD4-130 - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty . Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5GigE and One 1GigE uplinks  XD4-240 - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks  XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  S2195.00 - S1,646.25 - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MS-				
- Requires power from 802.3at compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty . Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5GigE and One 1GigE uplinks  XD4-240 - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks  XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  S2195.00  \$1,646.25 - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
XD4-130  - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty . Order MNT-SLV-XD4 or MNT-SLV-XD4 for support.  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5GigE and One 1GigE uplinks - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks  XA4-240  Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes:  - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5GigE and One 1GigE uplinks - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.  S1895.00 \$1,421.25  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  \$2195.00 \$1,646.25  Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-	VD4-130		\$1505.00	¢1 106 25
Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5GigE and One 1GigE uplinks  XD4-240 - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-SLV-XD4 or MNT-SLV-XD4 for support.  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks  XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty. Order MNT-SLV-XA4 for support.  Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-	XD4-130	- includes cliniced checime hardware and 50 day softwaree Floudct warranty. Order MN1-3cb-704 of MN1-3cv-704 for support.	\$1393.00	\$1,190.23
Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5GigE and One 1GigE uplinks  XD4-240 - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-SLV-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks  XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty. Order MNT-SLV-XA4 for support. Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-		Indoor High Density 4x4 AP with four 802 11ac Waye 2 radios (13.9 Ghps total handwidth)		
- Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5GigE and One 1GigE uplinks  XD4-240 - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks  XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  \$1,646.25  Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
- Integrated wireless controller and Internal directional antennas - One 2.5/5GigE and One 1GigE uplinks - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks  XA4-240  Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  S2195.00  \$1,646.25  Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
- One 2.5/5GigE and One 1GigE uplinks - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. \$1895.00 \$1,421.25  Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks  XA4-240 Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. \$2195.00 \$1,646.25  Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
AD4-240  - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support.    Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth).				
Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth).  Includes:  One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation Integrated wireless controller One 2.5 GigE and One 1GigE uplinks  XA4-240 Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  Includes: Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas Integrated wireless controller Two 10/100/1000 Ethernet uplink ports Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-	XD4-240		\$1895.00	\$1 <i>1</i> 21 25
Includes:  One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation  Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation  Integrated wireless controller  One 2.5 GigE and One 1GigE uplinks  XA4-240  Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  Includes:  Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas  Integrated wireless controller  Two 10/100/1000 Ethernet uplink ports  Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-	ND4 240		Ç1033.00	Ψ1, <sup>π</sup> 21.23
- One 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks  XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  \$1,646.25  Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
- Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  XA4-240  Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
- Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks  XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
- One 2.5 GigE and One 1GigE uplinks  XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. \$2195.00 \$1,646.25  Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-		·		
- Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support.  Includes:  - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas  - Integrated wireless controller  - Two 10/100/1000 Ethernet uplink ports  - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
Includes:  - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas  - Integrated wireless controller  - Two 10/100/1000 Ethernet uplink ports  - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-	ΧΔ4-240		\$2195.00	\$1.646.25
- Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-	210		<del>+</del>	7 = 70 . 0.2.5
<ul> <li>Integrated wireless controller</li> <li>Two 10/100/1000 Ethernet uplink ports</li> <li>Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-</li> </ul>				
- Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
- Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
551		33)		
XH2-120 - Includes 5 Year Hardware 90 day Software Product Warranty. Order MNT-GLD-XH2 or MNT-SLV-XH2 for support. \$1395.00 \$1,046.25	XH2-120		\$1395.00	\$1.046.25

	bandwidth).		
	Includes:		
	- Two Wave 2 radios		
	- Software defined between 5GHz / 2.4GHz operation on one radio		
	- Integrated wireless controller		
	- Requires external antennas. Order ANT-OMNI-4X4-01 (available in Jan '19) or ANT-DIR60-4X4-01 or ANT-DIR30-4X4-01.		
	- Two 1GigE uplinks		
	- Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power		
XH2-240	- Includes 5 years Limited Hardware and 90 day software Product Warranty. Order MNT-GLD-XH2 or MNT-SLV-XH2 for support.	\$1395.00	\$1,046.25
ANT-DIR30-4X4-01	2.4GHz/5GHz, 11dBi/13dBi, 30 degree, 4x4 panel antenna with N-female connectors.	\$399.00	\$299.25
ANT-DIR60-4X4-01	2.4GHz/5GHz, 7.5dBi, 60 degree, 4x4 panel antenna with N-female connectors.	\$250.00	\$187.50
ANT-DIR15-2x2-2.4G-01	2.4GHz, 18dBi, 15 degree, 2x2 panel antenna with N-female connectors. Order antenna cables separately.	\$340.00	\$255.00
ANT-DIR15-2x2-5.0G-01	5GHz, 18dBi, 15 degree, 2x2 panel antenna with N-female connectors. Order antenna cables separately.	\$140.00	\$105.00
ANT-DIR30-2X2-01	2.4GHz/5GHz, 14dBi, 35 degree, 2x2 panel antenna with N-female connectors. Order antenna cables separately.	\$360.00	\$270.00
ANT-DIR60-2X2-01	2.4GHz/5GHz, 8dBi, 65 degree, 2x2 panel antenna with N-female connectors. Order antenna cables separately.	\$300.00	\$225.00
ANT-DIR90-2X2-01	2.4GHz/5GHz, 6/7dBi, 90 degree, 2x2 panel antenna with N-female connectors. Order antenna cables separately.	\$60.00	\$45.00
	2.4GHz/5GHz, 4dBi, omni-directional 360 degree, 2x2 antenna for XR-520H. Four antenna cables (2 for each band) are integrated		
ANT-OMNI-2X2-02	into the antenna, each 36" (0.91m) long and with male RP-TNC connectors.	\$600.00	\$450.00
ANT-OMNI-2x2-03	2.4GHz/5GHz, 4dBi, omni-directional 360 degree, 2x2 antenna for XH2-120. Order antenna cables separately.	\$300.00	\$225.00
	2.4GHz/5GHz, omni-directional 360 degree, 1x1 "rubber duck" antenna for XR-520H. Attaches directly to RP-TNC connector		
ANT-OMNI-1X1-02	without the need for cables. Order one antenna per RP-TNC connector.	\$30.00	\$22.50
	2.4GHz/5GHz, 360 degree, 1x1 "rubber duck" antenna (N-Type), long profile 7.6"x0.5" for XH2-120. Attaches directly to N-Type		
ANT-OMNI-1X1-03	connector without the need for cables. Order one antenna per N-Type connector	\$65.00	\$48.75
	2.4GHz/5GHz, 360 degree, 1x1 "rubber duck" stubby antenna (N-Type), compact profile 2.5"x1" for XH2-120. Attaches directly to		
ANT-OMNI-1X1-04	N-Type connector without the need for cables. Order one antenna per N-Type connector.	\$50.00	\$37.50
	10' antenna cable for XR-520H antennas. Order 2 cables per antenna. Cable is LMR-195, male RP-TNC to male N connectors, and		
ANT-CAB-195-10-MM	10• in length.	\$75.00	\$56.25
ANT-CAB-195-10-MM-02	10' antenna cable for XH2-120 antennas. Order 2 cables per antenna. Cable is LMR-195, male N-Type to male N-type male.	\$75.00	\$56.25
ANT-CAB-195-6-MF	6' antenna cable for XA4-240 antennas. Order 4 cables per antenna. Cable is LMR-195, male RP-SMA to female RP-SMA	\$40.00	\$30.00
	30 degree 4x4 directional antenna for XA4-240. Four 90cm long pigtails with male RP-SMA connectors. Comes with articulating		
ANT-IN-DIR30-4x4-RPSMA	mount for flexibility in aiming. Mount can be used on flat surface or with a pole.	\$180.00	\$135.00
	60 degree 4x4 directional antenna for XA4-240. Four 90cm long pigtails with male RP-SMA connectors. Comes with articulating		
ANT-IN-DIR60-4x4-RPSMA	mount for flexibility in aiming. Mount can be used on flat surface or with a pole.	\$180.00	\$135.00
	Antenna cable for ANT-DIR-MIMO-01 antenna with 3 cables required for each antenna. Cable is LMR-400, right angle male N to		
ANT-CAB-400-10-MM	male N connectors, and 10 • length.	\$60.00	\$45.00
	Application Control license for application visibility and control on 1 radio. Available on X/XR/XD products. Premium Software		
	Support included with AP and does not need to be ordered separately for AOS-APPCON. When ordering for existing APs in		
AOS-APPCON	operation, Serial Numbers of APs must be supplied.	\$25.00	\$18.75
	AOS 802.11ac license enabling 802.11ac functionality on 1 radio. Available on XR 11ac hardware only. When ordering for existing		
AOS-11AC	APs in operation, Serial Numbers of APs must be supplied.	\$50.00	\$37.50
	1 Port 30W PoE+ Injector. Refer to accessory guide for compatibility. Requires order of appropriate XS-PWR-XX cord for the		
XP1-MSI-30	country where the AP will be deployed.	\$55.00	\$41.25
	1 Port 75W PoE injector. Refer to accessory guide for compatibility. Requires appropriate XS-PWR-XX cord for the country where		
XP1-MSI-75	the AP will be deployed.	\$100.00	\$75.00

ş	8 Port 70W per port Power over Gigabit Ethernet Midspan Injector with SNMP and Web Management. Rack mountable, 1U chassis.		
	Remotely powers up to 8 models - refer to Accessory Guide for Compatibility. Requires order of appropriate XS-PWR-XX cord for		
	the country where the Array will be deployed. Order SU-XP8-MSI-1 for advanced replacement support.	\$1000.00	\$750.00
	Cable Power cord, North America	\$0.00	\$0.00
	XMS base model virtual appliance for VMware to operate on customer-supplied server. Requires XMS-9000-1 license for	Ç0.00	φο.οο
	appropriate number of radios. Required for new purchases, not for upgrades.	\$0.00	\$0.00
	XMS base model virtual appliance for Hyper-V to operate on customer-supplied server. Requires XMS-9000-1 license for	<b>70.00</b>	<b>70.00</b>
	appropriate number of radios. Required for new purchases, not for upgrades.	\$0.00	\$0.00
	XMS license for managing 1 radio. Must be ordered with XMS-9000-VM or XMS-9000-HV. Order MNT-XMS-9000 for Premium	70.00	<b>70.00</b>
	Software Support. Pricing reflects quantity 2 to 20 radios. Volume-based price breaks provided for more than 20 radios.	\$75.00	\$56.25
	XMS-Cloud with EasyPass Guest self-registration and ambassador 1 month license for managing 1 radio. Includes 1 month	\$75.00	730.23
	Hardware and Software Support for managed AP and 1 month Gold Software support for XMS-Cloud and EasyPass guest self-		
	registration and ambassador. Includes 90 days of license for EasyPass Onboarding and other advanced EasyPass features with 12		
	months purchase. Must be ordered with 12 month minimum. Price breaks provided for 36 and 60 month terms.	\$3.75	\$3.19
	For EDU customers only: XMS-Cloud with all EasyPass capabilities, 1 month license for managing 1 radio. Includes 1 month	<b>33.73</b>	Ş3.1 <del>3</del>
	, , , , , , , , , , , , , , , , , , , ,		
	Hardware and Software Support for managed AP and 1 month Gold Software support for XMS-Cloud and EasyPass. Must be	¢2.22	\$2.83
	ordered with 12 month minimum. Price breaks provided for 36 and 60 month terms.	\$3.33	\$2.83
	EasyPass 1 month subscription for managing 1 radio with XMS-Cloud or XMS-Enterprise. Includes all types of EasyPass access	¢1.67	ć1 2F
AS-9000-EASYPASS-SUB	options. Must be ordered with 12 month minimum. Price breaks provided for 36 and 60 month terms.	\$1.67	\$1.25
AC OOOOFNIT FACURACE CUR	Faculties 1 month subscription for monaging 1 radio with VMC Enterprise Includes 1 month Cold Software support	¢1.67	ć1 2F
	EasyPass 1 month subscription for managing 1 radio with XMS-Enterprise. Includes 1 month Gold Software support.	\$1.67	\$1.25
	Wall Mounting Bracket for XR-4000, XR-2000, XR-1000 and XD AP models	\$120.00	\$90.00
	Wall Mounting Kit for XR-500 and 600 series APs. Wall mounting kit consists of two pieces - a "universal" bracket which is used in		
	both ceiling TBAR applications and wall mounted applications, as well as a 90 degree "arm" that is used to adapt the "universal"		
	bracket to the wall. Note The XE-500-WALL kit cannot be used to mount the AP to the TBAR ceilings. To mount the AP to a ceiling		
	TBAR, order XE-500-MOUNT, which includes the "universal" bracket as well as the TbarX accessory. The TbarX accessory is used to	4	
	engage the "universal" bracket with metallic TBARs.	\$15.00	\$11.25
	Mounting Kit includes a universal bracket and 15/16" TbarX bracket for XR-500 and 600 series APs. The universal bracket allows AP	4	4
	to be installed into any enclosure that supports XR HD APs.	\$12.00	\$9.00
	Mounting Bracket and 15/16" T-bar clips for the XR1000/2000/4000 and XD APs.	\$35.00	\$26.25
	Outdoor Enclosure for X2-120 / XD2-240 / XR-600. Omnidirectional. Typically used in stadium/arena environments and mounted		
	below attendee seating. Requires PoE when used with X2-120 and PoE+ power when used with XD2-240 to power internal fan and		
	AP inside (AP not included). IP-55 Rated.	\$650.00	\$487.50
E-6000-TBAR T	T-Bar mounted indoor enclosure, ceiling tile drop-in or surface mount with lockable door. Fits all XR and XD APs models.	\$475.00	\$356.25
	Protective wall mounted enclosure for gymnasiums and similar environments. Includes white protective cover, mounting plate, and		
E-4000-WALL-GYM	wall mount bracket. Fits XR-4000, XR-2000, XR-1000, XR-600, XR-500 and all XD APs.	\$750.00	\$562.50
F	Protective hanging enclosure for gymnasium-type environments. Includes white protective cover, mounting plate, and I-beam		
E-4000-IBEAM-GYM r	mounting bracket. Fits XR-4000, XR-2000, XR-1000, XR-600, XR-500 and all XD APs.	\$500.00	\$375.00
	Outdoor Enclosure for all XR & XD APs except XR-6000. Mounting kit sold separately. Order XP1-MSI-75 to power enclosure in		
E-4000-OUTDOOR a	addition to PoE for AP. Order MNT-GLD-XE-4000-OUTDOOR for support.	\$1575.00	\$1,181.25
E-6000-OUT-MNT-CEIL	Ceiling mounting kit for XE-4000-OUTDOOR and XE-6000-OUTDOOR. Includes mounting kit only, order enclosure separately.	\$325.00	\$243.75
E-6000-OUT-MNT-POLE F	Pole mounting kit for XE-4000-OUTDOOR and XE-6000-OUTDOOR. Includes mounting kit only, order enclosure separately.	\$325.00	\$243.75
	Wall mounting kit for XE-4000-OUTDOOR. Includes mounting kit only - order enclosure separately.	\$325.00	\$243.75

	Accessory kit to mount XR and XD APs models to 15/16" T-Bar suspension grid with recessed ceiling tile. Kit includes 4 twist clips			
XE-CLIP-KIT-01	15/16" with 5/8" stud and 4 hex nuts, 1/4-20	\$20.00		\$15.00
XE-CLIP-KII-UI	Accessory kit to mount XR and XD APs models to 9/16" T-Bar suspension grid with recessed ceiling tile. Kit includes: - 4 twist clips	\$20.00		\$15.00
XE-THINCLIP-KIT-01	9/16" clip with 5/8" stud - 4 Nuts, Hex, 1/4-20	\$35.00		\$26.25
XE-THINCEIF-KII-01	Accessory kit to mount XR and XD APs models to Slotted suspension grid. Kit includes 4 T-Bolt with 5/8" stud, 4 spacers, 4 hex	\$33.00		\$20.23
XE-TBOLT-KIT-01	nuts, 1/4-20	\$20.00		\$15.00
VE-IBOLI-KII-OI	Rapid Deployment Kit for XR-4000, XR-2000, XD4 and XD2 series. Includes all elements required for portable Wi-Fi network. Array	\$20.00		\$13.00
XK-4000-RAPID-CASE	and Power Injector ordered separately. Includes: • XE-4000-SNAPON Cover • 2 Cat 5e Cables (14' and 100')	\$3000.00		\$2,250.00
AK-4000-KAFID-CASE	Rapid Depolyment kit for XR-4000, XR-2000, XD4 and XD2 series. Include ruggedized carying case for access point, snapon cover,	\$3000.00		\$2,230.00
XK-4000-RDK-GEAR-CASE	rain/dust resistant cover bag, Cat 5E cables, Serial Console Cable and DB-8/USB adapter (Tripod and AP not included)	\$2200.00		\$1,650.00
AK-4000-NDK-GEAK-CASE	Rapid Deployment tripod with rugged carrying case for XR-4000, XR-2000, XD4 and XD2 series. Includes tripod, Array mount, and	\$2200.00		\$1,030.00
XK-4000-RDK-TRIPOD	rugged carrying case.	\$800.00		\$600.00
XK-SURVEY-TRIPOD	Site survey tripod with rugged carrying case	\$800.00		\$600.00
MNT-SLV-XD2-230	1 Year Premium Software Support for one XD2-230 Wireless AP	\$21.00		\$17.85
MNT-GLD-XD2-230	1 Year Premium Software and Hardware Support for one XD2-230 Wireless AP	\$21.00	20.00	\$25.50
MNT-SLV-XD2-240	1 Year Premium Software Support for one XD2-240 Wireless AP	\$		\$33.15
MNT-GLD-XD2-240		\$		\$47.60
MNT-SLV-XD4	1 Year Premium Software and Hardware Support for one XD2-240 Wireless AP  1 Year Premium Software Support for one XD4 Wireless AP	\$		\$40.80
MNT-GLD-XD4	· ·	\$		\$58.65
	1 Year Premium Software and Hardware Support for one XD4 Wireless AP	\$		
MNT-SLV-XR-300	1 Year Premium Software Support for one XR-300 Wireless AP	\$		\$10.20 \$14.45
MNT-GLD-XR-300	1 Year Premium Software and Hardware Support for one XR-300 Wireless AP	\$		
MNT-SLV-XR-600	1 Year Premium Software Support for one XR-600 Wireless AP			\$22.10
MNT-GLD-XR-600	1 Year Premium Software and Hardware Support for one XR-600 Wireless AP	\$		\$31.45
MNT-SLV-X2	1 Year Premium Software Support for one X2 Wireless AP	Ÿ		\$11.05
MNT-GLD-X2	1 Year Premium Software and Hardware Support for one X2 Wireless AP	\$		\$16.15
MNT-SLV-XA4	1 Year Premium Software Support for one XA4 Wireless AP	\$		\$56.10
MNT-GLD-XA4	1 Year Premium Software and Hardware Support for one XA4 Wireless AP	\$		\$80.75
MNT-SLV-XH2	1 Year Premium Software Support for one XH2 Wireless AP	\$		\$35.70
MNT-GLD-XH2	1 Year Premium Software and Hardware Support for one XH2 Wireless AP	\$	61.00	\$51.85
	1 Year Premium Support for XP8-MSI hardware. Includes next day advanced hardware replacement and priority phone/e-mail		46.00	440.00
MNT-GLD-XP8-MSI	support.	\$	16.00	\$13.60
MNT-GLD-XE-4000-	1 Year Premium Support for XE-4000-OUTDOOR hardware (electronics only). Includes next day advanced hardware replacement			407.00
OUTDOOR	and priority phone/e-mail support.	\$	32.00	\$27.20
	1 Year Premium Support for XMS-9000 XMS software for 1 radio. Includes unlimited software upgrades and priority phone/e-mail			4
MNT-XMS-9000	support. Volume price available for 3 and 5 year terms.	\$		\$7.65
MNT-GLD-XI-2PACK	1 Year Premium Software and Hardware Support for one XI module 2 pack	\$		\$41.65
MNT-GLD-XI-4PACK	1 Year Premium Software and Hardware Support for one XI module 4 pack	\$	98.00	\$83.30
MANT CLD VD2 M4CLOCA4	1 Year Premium Support for XP2-MSI-95M hardware. Includes next day advanced hardware replacement and priority phone/e-mail	ć	7.00	ĆT OF
MNT-GLD-XP2-MSI-95M	Support.	\$		\$5.95
MNT-GLD-XR-1200	1 Year Premium Software and Hardware Support for one XR-1200 Wireless AP	\$		\$57.80
MNT-GLD-XR-1200H	1 Year Premium Software and Hardware Support for one XR-1200H Wireless AP	\$		\$74.80
MNT-GLD-XR-2200	1 Year Premium Software and Hardware Support for one XR-2200 Wireless AP	\$		\$55.25
MNT-GLD-XR-2400	1 Year Premium Software and Hardware Support for one XR-2400 Wireless AP	\$	111.00	
MNT-GLD-XR-2400H	1 Year Premium Software and Hardware Support for one XR-2400H Wireless AP	\$	114.00	\$96.90

MNT-GLD-XR-4400	1 Year Premium Software and Hardware Support for one XR-4400 Wireless AP	\$ 1	28.00 \$108.80
MNT-GLD-XR-4800	1 Year Premium Software and Hardware Support for one XR-4800 Wireless AP	\$ 2	16.00 \$183.60
MNT-GLD-XR-500	1 Year Premium Software and Hardware Support for one XR-500 Wireless AP	\$	23.00 \$19.55
MNT-GLD-XR-500H	1 Year Premium Software and Hardware Support for one XR-500H Wireless AP	\$	52.00 \$44.20
MNT-GLD-XR-6800	1 Year Premium Software and Hardware Support for one XR-6800 Wireless AP	\$ 2	51.00 \$213.35
MNT-GLD-XR-7200	1 Year Premium Software and Hardware Support for one XR-7200 Wireless AP	\$ 3	03.00 \$257.55
MNT-GLD-XR-7600	1 Year Premium Software and Hardware Support for one XR-7600 Wireless AP	\$ 4	20.00 \$357.00
MNT-GLD-XT-5024	1 Year Premium Software and Hardware Support for one XT-5024 Switch	\$ 1	14.00 \$96.90
MNT-GLD-XT-5048	1 Year Premium Software and Hardware Support for one XT-5048 Switch	\$ 2	10.00 \$178.50
MNT-SLV-XI-2PACK	1 Year Premium Software Support for one XI module 2 pack	\$	34.00 \$28.90
MNT-SLV-XI-4PACK	1 Year Premium Software Support for one XI module 4 pack	\$	68.00 \$57.80
MNT-SLV-XR-1200	1 Year Premium Software Support for one XR-1200 Wireless AP	\$	48.00 \$40.80
MNT-SLV-XR-1200H	1 Year Premium Software Support for one XR-1200H Wireless AP	\$	48.00 \$40.80
MNT-SLV-XR-2200	1 Year Premium Software Support for one XR-2200 Wireless AP	\$	45.00 \$38.25
MNT-SLV-XR-2400	1 Year Premium Software Support for one XR-2400 Wireless AP	\$	77.00 \$65.45
MNT-SLV-XR-2400H	1 Year Premium Software Support for one XR-2400H Wireless AP	\$	79.00 \$67.15
MNT-SLV-XR-4400	1 Year Premium Software Support for one XR-4400 Wireless AP	\$	89.00 \$75.65
MNT-SLV-XR-4800	1 Year Premium Software Support for one XR-4800 Wireless AP	\$ 1	50.00 \$127.50
MNT-SLV-XR-500	1 Year Premium Software Support for one XR-500 Wireless AP	\$	16.00 \$13.60
MNT-SLV-XR-500H	1 Year Premium Software Support for one XR-500H Wireless AP	\$	32.00 \$27.20
MNT-SLV-XR-6800	1 Year Premium Software Support for one XR-6800 Wireless AP	\$ 1	74.00 \$147.90
MNT-SLV-XR-7200	1 Year Premium Software Support for one XR-7200 Wireless AP	\$ 2	31.00 \$196.35
MNT-SLV-XR-7600	1 Year Premium Software Support for one XR-7600 Wireless AP	\$ 2	91.00 \$247.35
MNT-SLV-XT-5024	1 Year Premium Software Support for one XT-5024 Switch	\$	76.00 \$64.60
MNT-SLV-XT-5048	1 Year Premium Software Support for one XT-5048 Switch	\$ 1	40.00 \$119.00