MFR PART NUMBER	DESCRIPTION	MSRP	EPL COST
	IIIUOOI WAII PIALE ZAZ AF WILII LWO OOZ.IITAL WAVE I (OHE Z.40HZ AHU OHE Z GHZ) TAUIOS (I.IODPS LOLAI DAHUWIULII).		
	Includes:		
	- One 802.11ac Wave 1 radio - fixed at 5 GHz operation		
	- One 802.11n radio - 2.4GHz operation		
	- Integrated 4 GigE port switch including 1 PoE out and 1 pass-through (passively supports POTS or Ethernet)		
	- One 10/100/1000 Ethernet uplink port		
	- Integrated wireless controller and internal antennas		
	- Requires XMS-Cloud or XMS-Enterprise.		
	- Requires power from 802.3af compatible switch or purchase of PoE injector		
XR-320	- Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XR-300 or MNT-SLV-XR-300 for	\$395.00	\$296.25
	Indoor 2x2 Wireless Access Point with one 802.11ac Wave 1 and one 802.11n radios (1.1 Gbps total bandwidth).		
	Includes:		
	- One 802.11ac Wave 1 radio - fixed at 5 GHz operation		
	- One 802.11n radio - 2.4GHz operation		
	- Integrated wireless controller and internal antennas		
	- One 10/100/1000 Ethernet uplink port		
	- Requires XMS-Cloud or XMS-Enterprise.		
	- Requires power from 802.3af compatible switch or purchase of PoE injector		
X2-120	- Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-X2 or MNT-SLV-X2 for support.	\$445.00	\$333.75
	Includes:		
	- Two Wave 1 radios - software defined between 5GHz / 2.4GHz operation		
	- Integrated wireless controller and internal antenna		
	- Two 10/100/1000 Ethernet uplink ports		
	- Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power		
	- Order qty 2 AOS-11AC to enable 802.11ac operation.		
	- Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XR-600 or MNT-SLV-XR-600 for		
XR-630-FIPS	support.	\$775.00	\$581.25
	Indoor 4x4 Wireless Access Point with two 802.11ac Wave 2 radios (6.9 Gbps total bandwidth).		
	Includes:		
	- Two Wave 2 radios - software defined between 5GHz / 2.4GHz operation		
	- Integrated wireless controller and internal antenna		
	- Two 10/100/1000 Ethernet uplink ports		
	- Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power		
	- Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XD2-240 or MNT-SLV-XD2-240 for		
XD2-240	support.	\$1095.00	\$821.25

Includes: One wave 2 radio - fixed at 5 GHz operation One wave 1 radio - software defined between 5 GHz /2.4GHz operation Integrated wirelss controller and internal antenna - Two 10/100/1000 Ethernet uplink ports Requires power from 802.3 at compatible switch or purchase of PoE+ injector supporting 30W or more Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-SLD-XD2-230 or MNT-SLV-XD2-230 for SUPPORT MODO High Density 3x3 AP with four 802.11 ac Wave 1 radios (5.2 Gbps total bandwidth) Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 802.31 ac Compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller - One 2.5 Gig and One 1Gig Liplinks - Includes: - One 4.44 11ac Wave 2 radios with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Integrated wireless controller - One 2.5 Gig and One 1Gig Liplinks - Includes: - No software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - One 2.5 Gig and One 1Gig Liplinks - No software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - No software defined radios for 5GHz/2.4GHz op		IIIUUUI 353 VVIIEIESS ALLESS FUIIIL WILII UITE OUZ.111aL WAVE Z / UITE OUZ.111aL WAVE 1 IAUIUS (3.5 JUPS LULAI DAITUWIULII).		
- One wave 1 radio - software defined between 56Hz / 2.4GHz operation - Integrated wireless controller and internal antenna - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.34 compatible switch or purchase of PoE+ injector supporting 30W or more - Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XD2-230 or MNT-SLV-XD2-230 for support. XD2-230 Indoor High Density 3x3 AP with four 802.11ac Wave 1 radios (5.2 Gbps total bandwidth) Includes: - Software defined radios for 5GHz /2.4GHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 802.34 compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. XD4-130 Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz /2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5(gig and One 1 Gig Euplinks - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. XD4-240 Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 Gig and One 1 Gig Euplinks - Includes: - Two 50ftware defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors and fixed 5GHz operation - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.31 compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MS-		Includes:		
Integrated wireless controller and internal antenna - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.34 compatible switch or purchase of PoE+injector supporting 30W or more - Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XD2-230 or MNT-SLV-XD2-230 for support. XD2-230 Indoor High Density 3r3 AP with four 802.11ac Wave 1 radios (5.2 Gbps total bandwidth) Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 802.34 compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty . Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. XD4-130 Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5Gigs and One 1 Gigs uplinks - Includes: - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Integrated wireless controller - One 2.5 Gigs and One 1 Gigs Uplinks - Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Nype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MS-		- One wave 2 radio - fixed at 5 GHz operation		
- Two 10/10/01000 Ethernet uplink ports - Requires power from 80.2 at compatible switch or purchase of PoE+ injector supporting 30W or more - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD2-230 or MNT-SLV-XD2-230 for Support. XD2-230 Indoor High Density 3x3 AP with four 802.11ac Wave 1 radios (5.2 Gbps total bandwidth) Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 80.2 3at compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. XD4-130 Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5 Gig and One 1Gig uplinks - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. XD4-240 XD4-240 XD4-240 XD4-240 XD4-240 XD5-25 Gig and One 1Gig uplinks - Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Integrated wireless controller - One 2.5 Gig and One 1Gig uplinks - Includes: - Now Software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - One 2.5 Gig and One 1Gig uplinks - Includes: - Now Software defined radios for 5GHz/2.AGHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 80.23 at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-		- One wave 1 radio - software defined between 5GHz / 2.4GHz operation		
- Requires power from 80.2.3at compatible switch or purchase of PGE+ injector supporting 30W or more - Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XD2-230 or MNT-SLV-XD2-230 for Support. Indoor High Density 3x3 AP with four 802.11ac Wave 1 radios (5.2 Gbps total bandwidth) Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 80.23 at compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty . Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. XD4-130 Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireles sontroller and internal directional antennas - One 2.5/5/SigE and One 1GigE uplinks - Includes: - One 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks - Includes: - Two software defined radios for 5GHz/2.AGHz operation with 82-SMA external antenna connectors for external antennas - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks - Includes: - Two software defined radios for 5GHz/2.AGHz operation with 82-SMA external antenna connectors for external antennas - Integrated wireless controller - Two software defined radios for 5GHz/2.AGHz operation with 9 Ntype connectors for external antennas - Integrated wireless controller - Two software defined radios for 5GHz/2.AGHz operation with 9 Ntype connectors for external antennas - Integrated wireless controller - Two software defined radios for 5GHz/2.AGHz operation with 9 Ntype connectors for external antennas - Integrated wireless controller - Two software defined radios for 5GHz/2.AGHz operation with 9 Ntype connectors for external antennas - Integrated wireless controller - Two software de		- Integrated wireless controller and internal antenna		
- Requires power from 80.2.3at compatible switch or purchase of PGE+injector supporting 30W or more - Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XD2-230 or MNT-SLV-XD2-230 for support. Indoor High Density 3x3 AP with four 802.11ac Wave 1 radios (5.2 Gbps total bandwidth) Includes: - Software defined radios for 5GHz/2.AGHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 80.2.3at compatible switch or PoE injector Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty . Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. XD4-130		- Two 10/100/1000 Ethernet uplink ports		
Indoor High Density 3x3 AP with four 802.11ac Wave 1 radios (5.2 Gbps total bandwidth) Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 802.3at compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty . Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. XD4-130 Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5Gig and One 1Gig to plinks XD4-240 Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 Gig and One 1Gig Euplinks - Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+injector supporting 30W or more power (excluding XP1-MSF-				
Indoor High Density 3x3 AP with four 802.11ac Wave 1 radios (5.2 Gbps total bandwidth) Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 802.3at compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty . Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. XD4-130 Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5Gig and One 1Gig to plinks XD4-240 Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 Gig and One 1Gig Euplinks - Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+injector supporting 30W or more power (excluding XP1-MSF-		- Includes Limited Lifetime Hardware and 90 day software Product Warranty. Order MNT-GLD-XD2-230 or MNT-SLV-XD2-230 for		
Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 802.3at compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day software Product Warranty . Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. XD4-130 Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - One 2.5/5GigE and One 1GigE uplinks - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks - Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3tat compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-	XD2-230		\$695.00	\$521.25
Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 802.3at compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day software Product Warranty . Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. XD4-130 Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - One 2.5/5GigE and One 16igE uplinks - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 16igE uplinks - Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.31at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-		Indeer High Density 2v2 AB with four 902 11 or Ways 1 radios (5.2 Chas total handwidth)		
- Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 802.3at compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. XD4-130 Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5GigE and One 1 GigE uplinks - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Integrated wireless controller - One 2.5 GigE and One 1 GigE uplinks XA4-240 Includes Limited Lifetime Hardware 90 day Software Product Warranty. Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. \$2195.00 \$1,421.25 Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
- Integrated wireless controller and internal directional antennas - Two 10/100/1000 Ethernet uplinks - Requires power from 802 3at compatible switch or PoE injector XD4-130 - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty . Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5GigE and One 1GigE uplinks XD4-240 - Includes Limited Lifetime Hardware and 90 day Software Product Warranty, Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. - Includes Limited Lifetime Hardware . - Includes Limited Lifetime Hardware				
- Two 10/100/1000 Ethernet uplinks - Requires power from 802.3 at compatible switch or PoE injector XD4-130 - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty . Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5GigE and One 1GigE uplinks XD4-240 - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. S2195.00 - S1,646.25 - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MS-				
- Requires power from 802.3at compatible switch or PoE injector - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty . Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5GigE and One 1GigE uplinks XD4-240 - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. S2195.00 \$1,646.25 - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
XD4-130 - Includes Limited Lifetime Hardware and 90 day softwaree Product Warranty . Order MNT-SLV-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5GigE and One 1GigE uplinks - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks XA4-240 Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5GigE and One 1GigE uplinks - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. S1895.00 \$1,421.25 Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. \$2195.00 \$1,646.25 Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-	VD4-130		\$1505.00	¢1 106 25
Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5GigE and One 1GigE uplinks XD4-240 - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-SLV-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-SLV-XA4 for support. Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-	XD4-130	- includes cliniced checime hardware and 50 day softwaree Floudct warranty. Order MN1-3cb-704 of MN1-3cv-704 for support.	\$1393.00	\$1,190.23
Includes: - Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5GigE and One 1GigE uplinks XD4-240 - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-SLV-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty. Order MNT-SLV-XA4 for support. Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-		Indoor High Density 4x4 AP with four 802 11ac Waye 2 radios (13.9 Ghas total handwidth)		
- Software defined radios for 5GHz/2.4GHz operation - Integrated wireless controller and Internal directional antennas - One 2.5/5GigE and One 1GigE uplinks XD4-240 - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. \$1,646.25 Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
- Integrated wireless controller and Internal directional antennas - One 2.5/5GigE and One 1GigE uplinks - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks XA4-240 Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. S2195.00 \$1,646.25 Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
- One 2.5/5GigE and One 1GigE uplinks - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. \$1895.00 \$1,421.25 Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: - One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks XA4-240 Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. \$2195.00 \$1,646.25 Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
AD4-240 - Includes Limited Lifetime Hardware and 90 day Software Product Warranty. Order MNT-GLD-XD4 or MNT-SLV-XD4 for support. Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth).				
Indoor High Density 4x4 AP with four 802.11ac Wave 2 radios (13.9 Gbps total bandwidth). Includes: One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation Integrated wireless controller One 2.5 GigE and One 1GigE uplinks XA4-240 Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. Includes: Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas Integrated wireless controller Two 10/100/1000 Ethernet uplink ports Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-	XD4-240		\$1895.00	\$1 <i>1</i> 21 25
Includes: One 4x4 11ac Wave 2 radio with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation Integrated wireless controller One 2.5 GigE and One 1GigE uplinks XA4-240 Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. Includes: Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas Integrated wireless controller Two 10/100/1000 Ethernet uplink ports Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-	ND4 240		Ç1033.00	Ψ1, ^π 21.23
- One 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and programmable 5GHz/2.4GHz operation - Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. \$1,646.25 Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
- Three 4x4 11ac Wave 2 radios with RP-SMA external antenna connectors and fixed 5GHz operation - Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. XA4-240 Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
- Integrated wireless controller - One 2.5 GigE and One 1GigE uplinks XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
- One 2.5 GigE and One 1GigE uplinks XA4-240 - Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. \$2195.00 \$1,646.25 Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-		·		
- Includes Limited Lifetime Hardware 90 day Software Product Warranty . Order MNT-GLD-XA4 or MNT-SLV-XA4 for support. Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
Includes: - Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-	ΧΔ4-240		\$2195.00	\$1.646.25
- Two software defined radios for 5GHz/2.4GHz operation with 2 Ntype connectors for external antennas - Integrated wireless controller - Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-	210		+	7 = 70 . 0.2.5
 Integrated wireless controller Two 10/100/1000 Ethernet uplink ports Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI- 				
- Two 10/100/1000 Ethernet uplink ports - Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
- Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power (excluding XP1-MSI-				
551		33)		
XH2-120 - Includes 5 Year Hardware 90 day Software Product Warranty. Order MNT-GLD-XH2 or MNT-SLV-XH2 for support. \$1395.00 \$1,046.25	XH2-120		\$1395.00	\$1.046.25

	bandwidth).		
	Includes:		
	- Two Wave 2 radios		
	- Software defined between 5GHz / 2.4GHz operation on one radio		
	- Integrated wireless controller		
	- Requires external antennas. Order ANT-OMNI-4X4-01 (available in Jan '19) or ANT-DIR60-4X4-01 or ANT-DIR30-4X4-01.		
	- Two 1GigE uplinks		
	- Requires power from 802.3at compatible switch or purchase of PoE+ injector supporting 30W or more power		
XH2-240	- Includes 5 years Limited Hardware and 90 day software Product Warranty. Order MNT-GLD-XH2 or MNT-SLV-XH2 for support.	\$1395.00	\$1,046.25
ANT-DIR30-4X4-01	2.4GHz/5GHz, 11dBi/13dBi, 30 degree, 4x4 panel antenna with N-female connectors.	\$399.00	\$299.25
ANT-DIR60-4X4-01	2.4GHz/5GHz, 7.5dBi, 60 degree, 4x4 panel antenna with N-female connectors.	\$250.00	\$187.50
ANT-DIR15-2x2-2.4G-01	2.4GHz, 18dBi, 15 degree, 2x2 panel antenna with N-female connectors. Order antenna cables separately.	\$340.00	\$255.00
ANT-DIR15-2x2-5.0G-01	5GHz, 18dBi, 15 degree, 2x2 panel antenna with N-female connectors. Order antenna cables separately.	\$140.00	\$105.00
ANT-DIR30-2X2-01	2.4GHz/5GHz, 14dBi, 35 degree, 2x2 panel antenna with N-female connectors. Order antenna cables separately.	\$360.00	\$270.00
ANT-DIR60-2X2-01	2.4GHz/5GHz, 8dBi, 65 degree, 2x2 panel antenna with N-female connectors. Order antenna cables separately.	\$300.00	\$225.00
ANT-DIR90-2X2-01	2.4GHz/5GHz, 6/7dBi, 90 degree, 2x2 panel antenna with N-female connectors. Order antenna cables separately.	\$60.00	\$45.00
	2.4GHz/5GHz, 4dBi, omni-directional 360 degree, 2x2 antenna for XR-520H. Four antenna cables (2 for each band) are integrated		
ANT-OMNI-2X2-02	into the antenna, each 36" (0.91m) long and with male RP-TNC connectors.	\$600.00	\$450.00
ANT-OMNI-2x2-03	2.4GHz/5GHz, 4dBi, omni-directional 360 degree, 2x2 antenna for XH2-120. Order antenna cables separately.	\$300.00	\$225.00
ANT-OMNI-4X4-01	2.4GHz/5GHz, 3dBi, omni-directional 360 degree, 4x4 antenna. Four antenna cables/connectors are integrated into the antenna.	\$150.00	\$112.50
	2.4GHz/5GHz, omni-directional 360 degree, 1x1 "rubber duck" antenna for XR-520H. Attaches directly to RP-TNC connector		
ANT-OMNI-1X1-02	without the need for cables. Order one antenna per RP-TNC connector.	\$30.00	\$22.50
	2.4GHz/5GHz, 360 degree, 1x1 "rubber duck" antenna (N-Type), long profile 7.6"x0.5" for XH2-120. Attaches directly to N-Type		
ANT-OMNI-1X1-03	connector without the need for cables. Order one antenna per N-Type connector	\$65.00	\$48.75
	2.4GHz/5GHz, 360 degree, 1x1 "rubber duck" stubby antenna (N-Type), compact profile 2.5"x1" for XH2-120. Attaches directly to		
ANT-OMNI-1X1-04	N-Type connector without the need for cables. Order one antenna per N-Type connector.	\$50.00	\$37.50
	10' antenna cable for XR-520H antennas. Order 2 cables per antenna. Cable is LMR-195, male RP-TNC to male N connectors, and		
ANT-CAB-195-10-MM	10 • in length.	\$75.00	\$56.25
ANT-CAB-195-10-MM-02	10' antenna cable for XH2-120 antennas. Order 2 cables per antenna. Cable is LMR-195, male N-Type to male N-type male.	\$75.00	\$56.25
ANT-CAB-195-6-MF	6' antenna cable for XA4-240 antennas. Order 4 cables per antenna. Cable is LMR-195, male RP-SMA to female RP-SMA	\$40.00	\$30.00
	30 degree 4x4 directional antenna for XA4-240. Four 90cm long pigtails with male RP-SMA connectors. Comes with articulating		
ANT-IN-DIR30-4x4-RPSMA	mount for flexibility in aiming. Mount can be used on flat surface or with a pole.	\$180.00	\$135.00
	60 degree 4x4 directional antenna for XA4-240. Four 90cm long pigtails with male RP-SMA connectors. Comes with articulating		
ANT-IN-DIR60-4x4-RPSMA	mount for flexibility in aiming. Mount can be used on flat surface or with a pole.	\$180.00	\$135.00
	Antenna cable for ANT-DIR-MIMO-01 antenna with 3 cables required for each antenna. Cable is LMR-400, right angle male N to		
ANT-CAB-400-10-MM	male N connectors, and 10 • length.	\$60.00	\$45.00
	Application Control license for application visibility and control on 1 radio. Available on X/XR/XD products. Premium Software		
	Support included with AP and does not need to be ordered separately for AOS-APPCON. When ordering for existing APs in		
AOS-APPCON	operation, Serial Numbers of APs must be supplied.	\$25.00	\$18.75
	AOS 802.11ac license enabling 802.11ac functionality on 1 radio. Available on XR 11ac hardware only. When ordering for existing		
AOS-11AC	APs in operation, Serial Numbers of APs must be supplied.	\$50.00	\$37.50
	1 Port 30W PoE+ Injector. Refer to accessory guide for compatibility. Requires order of appropriate XS-PWR-XX cord for the		
XP1-MSI-30	country where the AP will be deployed.	\$55.00	\$41.25

	1 Port 75W PoE injector. Refer to accessory guide for compatibility. Requires appropriate XS-PWR-XX cord for the country where		
XP1-MSI-75	the AP will be deployed.	\$100.00	\$75.00
XF 1-10131-73	8 Port 70W per port Power over Gigabit Ethernet Midspan Injector with SNMP and Web Management. Rack mountable, 1U chassis.		\$73.00
	Remotely powers up to 8 models - refer to Accessory Guide for Compatibility. Requires order of appropriate XS-PWR-XX cord for		
XP8-MSI-70M	the country where the Array will be deployed. Order SU-XP8-MSI-1 for advanced replacement support.	\$1000.00	\$750.00
PWR-CORD-US		\$0.00	\$0.00
PWR-CORD-03	Cable Power cord, North America	\$0.00	\$0.00
VAAC 0000 VAA	XMS base model virtual appliance for VMware to operate on customer-supplied server. Requires XMS-9000-1 license for	¢0.00	¢0.00
XMS-9000-VM	appropriate number of radios. Required for new purchases, not for upgrades.	\$0.00	\$0.00
VAAC 0000 LIV	XMS base model virtual appliance for Hyper-V to operate on customer-supplied server. Requires XMS-9000-1 license for	¢0.00	¢0.00
XMS-9000-HV	appropriate number of radios. Required for new purchases, not for upgrades.	\$0.00	\$0.00
VI 10 0000 1	XMS license for managing 1 radio. Must be ordered with XMS-9000-VM or XMS-9000-HV. Order MNT-XMS-9000 for Premium	475.00	45005
XMS-9000-1	Software Support. Pricing reflects quantity 2 to 20 radios. Volume-based price breaks provided for more than 20 radios.	\$75.00	\$56.25
	XMS-Cloud with EasyPass Guest self-registration and ambassador 1 month license for managing 1 radio. Includes 1 month		
	Hardware and Software Support for managed AP and 1 month Gold Software support for XMS-Cloud and EasyPass guest self-		
	registration and ambassador. Includes 90 days of license for EasyPass Onboarding and other advanced EasyPass features with 12		
XMS-9500-CL-SUB-GLD	months purchase. Must be ordered with 12 month minimum. Price breaks provided for 36 and 60 month terms.	\$3.75	\$3.19
	For EDU customers only: XMS-Cloud with all EasyPass capabilities, 1 month license for managing 1 radio. Includes 1 month		
	Hardware and Software Support for managed AP and 1 month Gold Software support for XMS-Cloud and EasyPass. Must be		
XMS-9500-CL-EDU-GLD-SUB	ordered with 12 month minimum. Price breaks provided for 36 and 60 month terms.	\$3.33	\$2.83
	EasyPass 1 month subscription for managing 1 radio with XMS-Cloud or XMS-Enterprise. Includes all types of EasyPass access		
XAS-9000-EASYPASS-SUB	options. Must be ordered with 12 month minimum. Price breaks provided for 36 and 60 month terms.	\$1.67	\$1.25
XAS-9000ENT-EASYPASS-SUB	EasyPass 1 month subscription for managing 1 radio with XMS-Enterprise. Includes 1 month Gold Software support.	\$1.67	\$1.25
XE-4010-WALL	Wall Mounting Bracket for XR-4000, XR-2000, XR-1000 and XD AP models	\$120.00	\$90.00
	Wall Mounting Kit for XR-500 and 600 series APs. Wall mounting kit consists of two pieces - a "universal" bracket which is used in		
	both ceiling TBAR applications and wall mounted applications, as well as a 90 degree "arm" that is used to adapt the "universal"		
	bracket to the wall. Note The XE-500-WALL kit cannot be used to mount the AP to the TBAR ceilings. To mount the AP to a ceiling		
	TBAR, order XE-500-MOUNT, which includes the "universal" bracket as well as the TbarX accessory. The TbarX accessory is used to		
XE-500-WALL	engage the "universal" bracket with metallic TBARs.	\$15.00	\$11.25
	Mounting Kit includes a universal bracket and 15/16" TbarX bracket for XR-500 and 600 series APs. The universal bracket allows AP		
XE-500-MOUNT	to be installed into any enclosure that supports XR HD APs.	\$12.00	\$9.00
XE-4000-MOUNT	Mounting Bracket and 15/16" T-bar clips for the XR1000/2000/4000 and XD APs.	\$35.00	\$26.25
	Outdoor Enclosure for X2-120 / XD2-240 / XR-600. Omnidirectional. Typically used in stadium/arena environments and mounted		
	below attendee seating. Requires PoE when used with X2-120 and PoE+ power when used with XD2-240 to power internal fan and		
XE-STADIUM-OMNI	AP inside (AP not included). IP-55 Rated.	\$650.00	\$487.50
XE-6000-TBAR	T-Bar mounted indoor enclosure, ceiling tile drop-in or surface mount with lockable door. Fits all XR and XD APs models.	\$475.00	\$356.25
	Protective wall mounted enclosure for gymnasiums and similar environments. Includes white protective cover, mounting plate, and		
XE-4000-WALL-GYM	wall mount bracket. Fits XR-4000, XR-2000, XR-1000, XR-500 and all XD APs.	\$750.00	\$562.50
	Protective hanging enclosure for gymnasium-type environments. Includes white protective cover, mounting plate, and I-beam	,	, , , , , ,
XE-4000-IBEAM-GYM	mounting bracket. Fits XR-4000, XR-2000, XR-1000, XR-500 and all XD APs.	\$500.00	\$375.00
000 .55 0	Outdoor Enclosure for all XR & XD APs except XR-6000. Mounting kit sold separately. Order XP1-MSI-75 to power enclosure in	7-00.00	7-70.00
XE-4000-OUTDOOR	addition to PoE for AP. Order MNT-GLD-XE-4000-OUTDOOR for support.	\$1575.00	\$1,181.25
XE-6000-OUT-MNT-CEIL	Ceiling mounting kit for XE-4000-OUTDOOR and XE-6000-OUTDOOR. Includes mounting kit only, order enclosure separately.	\$325.00	\$243.75
XE-6000-OUT-MNT-POLE	Pole mounting kit for XE-4000-OUTDOOR and XE-6000-OUTDOOR. Includes mounting kit only, order enclosure separately.	\$325.00	\$243.75
AL-0000-00 I-IVIIN I-POLE	Fole mounting kit for Ac-4000-00 IDOOK and Ac-6000-00 IDOOK. Includes mounting kit only, order enclosure separately.	3323.UU	۶ ۷ 43./3

XE-6000-OUT-MNT-WALL	Wall mounting kit for XE-4000-OUTDOOR. Includes mounting kit only - order enclosure separately.	\$325.00		\$243.75
	Accessory kit to mount XR and XD APs models to 15/16" T-Bar suspension grid with recessed ceiling tile. Kit includes 4 twist clips			
XE-CLIP-KIT-01	15/16" with 5/8" stud and 4 hex nuts, 1/4-20	\$20.00		\$15.00
	Accessory kit to mount XR and XD APs models to 9/16" T-Bar suspension grid with recessed ceiling tile. Kit includes: - 4 twist clips			
XE-THINCLIP-KIT-01	9/16" clip with 5/8" stud - 4 Nuts, Hex, 1/4-20	\$35.00		\$26.25
	Accessory kit to mount XR and XD APs models to Slotted suspension grid. Kit includes 4 T-Bolt with 5/8" stud, 4 spacers, 4 hex			
XE-TBOLT-KIT-01	nuts, 1/4-20	\$20.00		\$15.00
	Rapid Deployment Kit for XR-4000, XR-2000, XD4 and XD2 series. Includes all elements required for portable Wi-Fi network. Array			
XK-4000-RAPID-CASE	and Power Injector ordered separately. Includes: • XE-4000-SNAPON Cover • 2 Cat 5e Cables (14' and 100')	\$3000.00		\$2,250.00
	Rapid Depolyment kit for XR-4000, XR-2000, XD4 and XD2 series. Include ruggedized carying case for access point, snapon cover,			
XK-4000-RDK-GEAR-CASE	rain/dust resistant cover bag, Cat 5E cables, Serial Console Cable and DB-8/USB adapter (Tripod and AP not included)	\$2200.00		\$1,650.00
	Rapid Deployment tripod with rugged carrying case for XR-4000, XR-2000, XD4 and XD2 series. Includes tripod, Array mount, and			
XK-4000-RDK-TRIPOD	rugged carrying case.	\$800.00		\$600.00
XK-SURVEY-TRIPOD	Site survey tripod with rugged carrying case	\$800.00		\$600.00
MNT-SLV-XD2-230	1 Year Premium Software Support for one XD2-230 Wireless AP	\$21.00		\$17.85
MNT-GLD-XD2-230	1 Year Premium Software and Hardware Support for one XD2-230 Wireless AP	\$	30.00	\$25.50
MNT-SLV-XD2-240	1 Year Premium Software Support for one XD2-240 Wireless AP	\$	39.00	\$33.15
MNT-GLD-XD2-240	1 Year Premium Software and Hardware Support for one XD2-240 Wireless AP	\$	56.00	\$47.60
MNT-SLV-XD4	1 Year Premium Software Support for one XD4 Wireless AP	\$	48.00	\$40.80
MNT-GLD-XD4	1 Year Premium Software and Hardware Support for one XD4 Wireless AP	\$	69.00	\$58.65
MNT-SLV-XR-300	1 Year Premium Software Support for one XR-300 Wireless AP	\$	12.00	\$10.20
MNT-GLD-XR-300	1 Year Premium Software and Hardware Support for one XR-300 Wireless AP	\$	17.00	\$14.45
MNT-SLV-XR-600	1 Year Premium Software Support for one XR-600 Wireless AP	\$	26.00	\$22.10
MNT-GLD-XR-600	1 Year Premium Software and Hardware Support for one XR-600 Wireless AP	\$	37.00	\$31.45
MNT-SLV-X2	1 Year Premium Software Support for one X2 Wireless AP	\$	13.00	\$11.05
MNT-GLD-X2	1 Year Premium Software and Hardware Support for one X2 Wireless AP	\$	19.00	\$16.15
MNT-SLV-XA4	1 Year Premium Software Support for one XA4 Wireless AP	\$	66.00	\$56.10
MNT-GLD-XA4	1 Year Premium Software and Hardware Support for one XA4 Wireless AP	\$	95.00	\$80.75
MNT-SLV-XH2	1 Year Premium Software Support for one XH2 Wireless AP	\$	42.00	\$35.70
MNT-GLD-XH2	1 Year Premium Software and Hardware Support for one XH2 Wireless AP	\$	61.00	\$51.85
	1 Year Premium Support for XP8-MSI hardware. Includes next day advanced hardware replacement and priority phone/e-mail			
MNT-GLD-XP8-MSI	support.	\$	16.00	\$13.60
MNT-GLD-XE-4000-	1 Year Premium Support for XE-4000-OUTDOOR hardware (electronics only). Includes next day advanced hardware replacement			
OUTDOOR	and priority phone/e-mail support.	\$	32.00	\$27.20
	1 Year Premium Support for XMS-9000 XMS software for 1 radio. Includes unlimited software upgrades and priority phone/e-mail			
MNT-XMS-9000	support. Volume price available for 3 and 5 year terms.	\$	9.00	\$7.65
MNT-GLD-XI-2PACK	1 Year Premium Software and Hardware Support for one XI module 2 pack	\$	49.00	\$41.65
MNT-GLD-XI-4PACK	1 Year Premium Software and Hardware Support for one XI module 4 pack	\$	98.00	\$83.30
	1 Year Premium Support for XP2-MSI-95M hardware. Includes next day advanced hardware replacement and priority phone/e-mail			
MNT-GLD-XP2-MSI-95M	support.	\$	7.00	\$5.95
MNT-GLD-XR-1200	1 Year Premium Software and Hardware Support for one XR-1200 Wireless AP	\$		\$57.80
MNT-GLD-XR-1200H	1 Year Premium Software and Hardware Support for one XR-1200H Wireless AP	\$		\$74.80
MNT-GLD-XR-2200	1 Year Premium Software and Hardware Support for one XR-2200 Wireless AP	\$		\$55.25
MNT-GLD-XR-2400	1 Year Premium Software and Hardware Support for one XR-2400 Wireless AP	\$	111.00	\$94.35

MNT-GLD-XR-2400H	1 Year Premium Software and Hardware Support for one XR-2400H Wireless AP	\$ 114.00 \$96.90	
MNT-GLD-XR-4400	1 Year Premium Software and Hardware Support for one XR-4400 Wireless AP	\$ 128.00 \$108.8	0
MNT-GLD-XR-4800	1 Year Premium Software and Hardware Support for one XR-4800 Wireless AP	\$ 216.00 \$183.6	0
MNT-GLD-XR-500	1 Year Premium Software and Hardware Support for one XR-500 Wireless AP	\$ 23.00 \$19.55	
MNT-GLD-XR-500H	1 Year Premium Software and Hardware Support for one XR-500H Wireless AP	\$ 52.00 \$44.20	
MNT-GLD-XR-6800	1 Year Premium Software and Hardware Support for one XR-6800 Wireless AP	\$ 251.00 \$213.3	5
MNT-GLD-XR-7200	1 Year Premium Software and Hardware Support for one XR-7200 Wireless AP	\$ 303.00 \$257.5	5
MNT-GLD-XR-7600	1 Year Premium Software and Hardware Support for one XR-7600 Wireless AP	\$ 420.00 \$357.0	0
MNT-GLD-XT-5024	1 Year Premium Software and Hardware Support for one XT-5024 Switch	\$ 114.00 \$96.90	
MNT-GLD-XT-5048	1 Year Premium Software and Hardware Support for one XT-5048 Switch	\$ 210.00 \$178.5	0
MNT-SLV-XI-2PACK	1 Year Premium Software Support for one XI module 2 pack	\$ 34.00 \$28.90	
MNT-SLV-XI-4PACK	1 Year Premium Software Support for one XI module 4 pack	\$ 68.00 \$57.80	
MNT-SLV-XR-1200	1 Year Premium Software Support for one XR-1200 Wireless AP	\$ 48.00 \$40.80	
MNT-SLV-XR-1200H	1 Year Premium Software Support for one XR-1200H Wireless AP	\$ 48.00 \$40.80	
MNT-SLV-XR-2200	1 Year Premium Software Support for one XR-2200 Wireless AP	\$ 45.00 \$38.25	
MNT-SLV-XR-2400	1 Year Premium Software Support for one XR-2400 Wireless AP	\$ 77.00 \$65.45	
MNT-SLV-XR-2400H	1 Year Premium Software Support for one XR-2400H Wireless AP	\$ 79.00 \$67.15	
MNT-SLV-XR-4400	1 Year Premium Software Support for one XR-4400 Wireless AP	\$ 89.00 \$75.65	
MNT-SLV-XR-4800	1 Year Premium Software Support for one XR-4800 Wireless AP	\$ 150.00 \$127.5	0
MNT-SLV-XR-500	1 Year Premium Software Support for one XR-500 Wireless AP	\$ 16.00 \$13.60	
MNT-SLV-XR-500H	1 Year Premium Software Support for one XR-500H Wireless AP	\$ 32.00 \$27.20	
MNT-SLV-XR-6800	1 Year Premium Software Support for one XR-6800 Wireless AP	\$ 174.00 \$147.9	0
MNT-SLV-XR-7200	1 Year Premium Software Support for one XR-7200 Wireless AP	\$ 231.00 \$196.3	5
MNT-SLV-XR-7600	1 Year Premium Software Support for one XR-7600 Wireless AP	\$ 291.00 \$247.3	5
MNT-SLV-XT-5024	1 Year Premium Software Support for one XT-5024 Switch	\$ 76.00 \$64.60	
MNT-SLV-XT-5048	1 Year Premium Software Support for one XT-5048 Switch	\$ 140.00 \$119.0	0